



Courtesy translation. Only the German version is binding.  
Zur Information; es gilt die deutsche Fassung.







## B. Special findings in the course of pregnancy

27. General illnesses requiring treatment, if yes, which \_\_\_\_\_

---

28. Long-term medication

29. Substance abuse

30. Exceptional mental stress

31. Exceptional social stress

32. Bleeding before 28th week

33. Bleeding after 28th Week

34. Placenta praevia

35. Multiple pregnancy

36. Polyhydramnios

37. Oligohydramnios

38. Uncertain expected date of delivery

39. Placental insufficiency

40. Cervical insufficiency

41. Preterm labor

42. Anaemia

43. Urinary tract infection

44. Antenatal antibody screening positive

45. Risk due to other serological findings

46. Hypertension (blood pressure over 140/90 mmHg)

47. Pathological protein excretion

48. Moderate – severe oedema

49. Hypotension

50. Gestational diabetes

• Pretest conducted:                    yes/no      abnormal: yes/no

• Diagnostic test conducted:    yes/no      abnormal: yes/no

51. Abnormal engagement of fetal head

52. Other special findings

if yes, which \_\_\_\_\_

---

## Due date/expected date of delivery

Cycle \_\_\_\_\_ / \_\_\_\_\_      Last menstrual period (LMP) \_\_\_\_\_

Date of conception (if known): \_\_\_\_\_

Pregnancy detected on: \_\_\_\_\_ in the \_\_\_\_\_ week

Estimated due date (calculated):

Due date (if corrected later):

Comments \_\_\_\_\_

---

---

---













