

Resolution

of the Federal Joint Committee on an Amendment of the
Pharmaceuticals Directive:

Annex XII – Benefit Assessment of Medicinal Products with
New Active Ingredients according to Section 35a (SGB V)

Dostarlimab

(new therapeutic indication: primary advanced or recurrent,
mismatch repair proficient (pMMR) endometrial cancer,
combination with carboplatin and paclitaxel)

of 7 August 2025

At their session on 7 August 2025, the Federal Joint Committee (G-BA) resolved to amend the Pharmaceuticals Directive (AM-RL) in the version dated 18 December 2008 / 22 January 2009 (Federal Gazette, BAnz. No. 49a of 31 March 2009), as last amended by the publication of the resolution of D Month YYYY (Federal Gazette, BAnz AT DD.MM.YYYY BX), as follows:

- I. In Annex XII, the following information shall be added after No. 5 to the information on the benefit assessment of Dostarlimab in accordance with the resolution of 20 June 2024.**

Dostarlimab

Resolution of: 7 August 2025

Entry into force on: 7 August 2025

Federal Gazette, BAnz AT DD. MM YYYY Bx

New therapeutic indication (according to the marketing authorisation of 15 January 2025):

JEMPERLI is indicated in combination with carboplatin and paclitaxel for the first-line treatment of adult patients with primary advanced or recurrent endometrial cancer (EC) and who are candidates for systemic therapy.

Therapeutic indication of the resolution (resolution of 7 August 2025):

JEMPERLI is indicated in combination with carboplatin and paclitaxel for the first-line treatment of adult patients with primary advanced or recurrent, mismatch repair proficient (pMMR) endometrial cancer (EC) and who are candidates for systemic therapy.

1. Additional benefit of the medicinal product in relation to the appropriate comparator therapy

Adult patients with stage III or IV primary advanced endometrial cancer or with recurrence of mismatch repair proficient (pMMR) endometrial cancer who:

- have not yet received systemic therapy as postoperative or adjuvant therapy for treatment of the primary advanced disease,
- have not yet received chemotherapy for treatment of the recurrence.

Appropriate comparator therapy:

- Durvalumab in combination with carboplatin and paclitaxel, followed by durvalumab in combination with olaparib

Extent and probability of the additional benefit of dostarlimab in combination with carboplatin and paclitaxel, followed by treatment with dostarlimab as monotherapy, compared with the appropriate comparator therapy:

An additional benefit is not proven.

Study results according to endpoints:¹

Adult patients with stage III or IV primary advanced endometrial cancer or with recurrence of mismatch repair proficient (pMMR) endometrial cancer who:

- have not yet received systemic therapy as postoperative or adjuvant therapy for treatment of the primary advanced disease,
- have not yet received chemotherapy for treatment of the recurrence.

No suitable data available.

Summary of results for relevant clinical endpoints

Endpoint category	Direction of effect/ risk of bias	Summary
Mortality	n.a.	There are no assessable data.
Morbidity	n.a.	There are no assessable data.
Health-related quality of life	n.a.	There are no assessable data.
Side effects	n.a.	There are no assessable data.
Explanations: ↑: statistically significant and relevant positive effect with low/unclear reliability of data ↓: statistically significant and relevant negative effect with low/unclear reliability of data ↑↑: statistically significant and relevant positive effect with high reliability of data ↓↓: statistically significant and relevant negative effect with high reliability of data ↔: no statistically significant or relevant difference ∅: No data available. n.a.: not assessable		

2. Number of patients or demarcation of patient groups eligible for treatment

Adult patients with stage III or IV primary advanced endometrial cancer or with recurrence of mismatch repair proficient (pMMR) endometrial cancer who:

- have not yet received systemic therapy as postoperative or adjuvant therapy for treatment of the primary advanced disease,
- have not yet received chemotherapy for treatment of the recurrence.

Approx. 990 – 1,810 female patients

¹ Data from the dossier assessment of the Institute for Quality and Efficiency in Health Care (IQWiG) (A25-24) unless otherwise indicated.

3. Requirements for a quality-assured application

The requirements in the product information are to be taken into account. The European Medicines Agency (EMA) provides the contents of the product information (summary of product characteristics, SmPC) for Jemperli (active ingredient: dostarlimab) at the following publicly accessible link (last access: 16 May 2025):

https://www.ema.europa.eu/en/documents/product-information/jemperli-epar-product-information_en.pdf

Treatment with dostarlimab should only be initiated and monitored by specialists in internal medicine, haematology, and oncology, specialists in obstetrics and gynaecology, and other specialists participating in the Oncology Agreement, all of whom are experienced in the treatment of patients with endometrial cancer.

In accordance with the EMA requirements regarding additional risk minimisation measures, the pharmaceutical company must provide training material that contains information for medical professionals and patients (including patient identification card). The training material contains, in particular, instructions on the management of immune-mediated side effects potentially occurring with dostarlimab.

4. Treatment costs

Annual treatment costs:

The annual treatment costs shown refer to the first year of treatment.

Adult patients with stage III or IV primary advanced endometrial cancer or with recurrence of mismatch repair proficient (pMMR) endometrial cancer who:

- have not yet received systemic therapy as postoperative or adjuvant therapy for treatment of the primary advanced disease,
- have not yet received chemotherapy for treatment of the recurrence.

Designation of the therapy	Annual treatment costs/ patient
Medicinal product to be assessed:	
Dostarlimab in combination with carboplatin and paclitaxel	
Dostarlimab	€ 25,794.18
Carboplatin	€ 1,902.66
Paclitaxel	€ 5,360.58
Maintenance treatment with dostarlimab as monotherapy	
Dostarlimab	€ 49,008.94
Total	€ 82,066.36
Appropriate comparator therapy:	
Durvalumab in combination with carboplatin and paclitaxel (4 – 6 cycles)	
Durvalumab	€ 17,845.36 – € 26,768.04
Carboplatin	€ 1,268.44 – € 2,370.00

Designation of the therapy	Annual treatment costs/ patient
Paclitaxel	€ 3,573.72 – € 5,360.58
Maintenance treatment with durvalumab and olaparib	
Durvalumab	€ 50,655.24 (after 6 cycles of initial therapy) – € 59,594.40 (after 4 cycles of initial therapy)
Olaparib	€ 38,349.68 (after 6 cycles of initial therapy) – € 45,088.96 (after 4 cycles of initial therapy)
Total	€ 123,503.54 – € 127,370.88

Costs after deduction of statutory rebates (LAUER-TAXE®) as last revised: 15 July 2025)

Costs for additionally required SHI services: not applicable

Designation of the therapy	Type of service	Costs/ unit	Number/ cycle	Number/ patient/ year	Costs/ patient/ year
Medicinal product to be assessed:					
Dostarlimab in combination with carboplatin and paclitaxel					
Dostarlimab	Surcharge for the preparation of a parenteral solution containing monoclonal antibodies	€ 100	1	6	€ 600
Carboplatin	Surcharge for production of a parenteral preparation containing cytostatic agents	€ 100	1	6	€ 600
Paclitaxel	Surcharge for production of a parenteral preparation containing cytostatic agents	€ 100	1	6	€ 600
Maintenance treatment with dostarlimab as monotherapy					
Dostarlimab	Surcharge for the preparation of a parenteral solution containing	€ 100	1	5.7	€ 570

	monoclonal antibodies				
Appropriate comparator therapy:					
Durvalumab in combination with carboplatin and paclitaxel					
Durvalumab	Surcharge for the preparation of a parenteral solution containing monoclonal antibodies	€ 100	1	4 – 6	€ 400 – € 600
Paclitaxel	Surcharge for production of a parenteral preparation containing cytostatic agents	€ 100	1	4 – 6	€ 400 – € 600
Carboplatin	Surcharge for production of a parenteral preparation containing cytostatic agents	€ 100	1	4 – 6	€ 400 – € 600
Maintenance treatment with durvalumab and olaparib					
Durvalumab	Surcharge for the preparation of a parenteral solution containing monoclonal antibodies	€ 100	1	8.5 – 10.0	€ 850 – € 1,000

5. Designation of medicinal products with new active ingredients according to Section 35a, paragraph 3, sentence 4 SGB V that can be used in a combination therapy with the assessed medicinal product

In the context of the designation of medicinal products with new active ingredients pursuant to Section 35a, paragraph 3, sentence 4 SGB V, the following findings are made:

Adult patients with stage III or IV primary advanced endometrial cancer or with recurrence of mismatch repair proficient (pMMR) endometrial cancer who:

- have not yet received systemic therapy as postoperative or adjuvant therapy for treatment of the primary advanced disease,
- have not yet received chemotherapy for treatment of the recurrence.

- No medicinal product with new active ingredients that can be used in a combination therapy and fulfils the requirements of Section 35a, paragraph 3, sentence 4 SGB V.

The designation of combinations exclusively serves the implementation of the combination discount according to Section 130e SGB V between health insurance funds and pharmaceutical companies. The findings made neither restrict the scope of treatment required to fulfil the medical treatment mandate, nor do they make statements about expediency or economic feasibility.

II. The resolution will enter into force on the day of its publication on the website of the G-BA on 7 August 2025.

The justification to this resolution will be published on the website of the G-BA at www.g-ba.de.

Berlin, 7 August 2025

Federal Joint Committee (G-BA)
in accordance with Section 91 SGB V
The Chair

Prof. Hecken