

Isoflurane (sedation of mechanically ventilated patients during intensive care)

Resolution of:21 July 2022Entry into force on:21 July 2022Federal Gazette, BAnz AT 06 09 2022 B1

valid until: unlimited

Therapeutic indication (according to the marketing authorisation of 24 September 2021):

Sedaconda is used for sedation of mechanically ventilated adult patients during intensive care.

Therapeutic indication of the resolution (resolution of 21 July 2022):

see therapeutic indication according to marketing authorisation

1. Additional benefit of the medicinal product in relation to the appropriate comparator therapy

Mechanically ventilated adult patients for whom sedation is indicated

Appropriate comparator therapy:

A therapy according to doctor's instructions under consideration of propofol, midazolam and dexmedetomidine

Extent and probability of the additional benefit of isoflurane:

An additional benefit is not proven.

Study results according to endpoints:

There are no assessable data.

Summary of results for relevant clinical endpoints

Endpoint category	Direction of effect/ risk of bias	Summary
Mortality	n.a.	There are no assessable data.
Morbidity	n.a.	There are no assessable data.
Health-related quality of life	Ø	No data available
Side effects	n.a.	There are no assessable data.
 Explanations: ↑: statistically significant and relevant positive effect with low/unclear reliability of data ↓: statistically significant and relevant negative effect with low/unclear reliability of data ↑↑: statistically significant and relevant positive effect with high reliability of data 		
 ↓↓: statistically significant and relevant negative effect with high reliability of data ↔: no statistically significant or relevant difference Ø: There are no usable data for the benefit assessment. 		
n.a.: not assessable		

2. Number of patients or demarcation of patient groups eligible for treatment

Mechanically ventilated adult patients for whom sedation is indicated

approx. 146,000 - 219,000 patients

3. Requirements for a quality-assured application

The requirements in the product information are to be taken into account.

Treatment with Sedaconda should only be initiated and monitored by medical specialists experienced in the treatment of mechanically ventilated patients, the Sedaconda Anaesthetic Conserving Device (ACD) delivery system, and the pharmacodynamic properties of isoflurane.

Sedaconda must only be delivered via Sedaconda ACD, as the efficacy and safety of inhaled isoflurane sedation have only been established with Sedaconda ACD. Sedaconda must only be used in intubated or tracheotomised patients with a secure airway.

4. Treatment costs

Annual treatment costs:

Mechanically ventilated adult patients for whom sedation is indicated

Designation of the therapy	Annual treatment costs/ patient ¹	
Medicinal product to be assessed:		
Isoflurane	€ 291.17 - € 1,261.73	
Additionally required SHI services	Incalculable	
Appropriate comparator therapy:		
Propofol	€ 39.55 - € 504.23	
Dexmedetomidine	€ 119.00 - € 773.50	
Midazolam	€ 19.06 - € 123.55	

LAUER-TAXE[®] last revised: 1 July 2022

Costs for additionally required SHI services: not applicable

¹ The costs of the medicinal products and the additionally required SHI services are reimbursed via the respectively applicable DRG case flat fees.